

	Application No.	Applicant(s)	
Notice of Allowability	10/761,729	MANOOSINGH, LANE L.	
	Examiner	Art Unit	
	Daniel S. Larkin	2856	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to initial examination of application.			
2.  The allowed claim(s) is/are <u>1-31</u> .			
3. The drawings filed on 21 January 2004 are accepted by the Examiner.			
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:  1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No.  3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> </ul>			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the</li> </ul>			
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BIOLOGIC <i>i</i>	AL MATERIAL.	
<ul> <li>Attachment(s)</li> <li>1. ☐ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 19 February 2004</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	8. ⊠ Examiner's Stateme	(PTO-413), e nent/Comment	owance IN

Application/Control Number: 10/761,729

Art Unit: 2856

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

SPECIFICATION:

Page 6, line 20: **INSERT** a -- comma -- prior to the term "such"; and **INSERT** a -- comma -- after the word "charcoal".

Page 14, line 4: INSERT a -- comma -- prior to the term "respectively".

Page 16, line 1: INSERT a -- comma -- prior to the term "such".

Page 16, line 5: **REPLACE** the term "senors" with the term -- sensors --.

Page 18, line 11: REPLACE the term "continuos" with the term -- continuous --.

Page 19, line 16: INSERT a -- comma -- after the term "embodiment".

Page 23, line 9: REPLACE the term "nosie" with the phrase -- of noise --.

Page 26, line 17: **INSERT** reference numeral -- 56 -- after the phrase "DOWN SIG".

Page 27, line 14: INSERT a -- comma -- after the term "Thus".

CLAIMS:

Re claim 15, claim line 1: REPLACE the article "Te" with -- The --.

Application/Control Number: 10/761,729

Art Unit: 2856

2. The following is an examiner's statement of reasons for allowance:

Prior art was not relied upon to reject claims 1-31 because the prior art fails to teach and/or make obvious the following:

Claims 1-22: Providing a chemical agent detector comprising: a plurality of SAW sensor driver boards mounted on a manifold; and a plurality of SAW sensors, each one mounted on a separate sensor driver board such that they are in contact with an ambient air sample drawn within the manifold, each SAW sensor and sensor driver board generating its own continuous RF signal which emits a frequency shift of the continuous RF signal if the particular chemical agent to which the SAW sensor has an affinity for detecting is loaded upon the SAW sensor of a particular SAW sensor driver board by the sample of ambient air in combination with all of the remaining limitations of the base claim.

Claims 23-31: Providing a chemical agent detector comprising: a plurality of SAW sensor driver boards mounted on a manifold, each SAW sensor driver board having its own SAW sensor mounted thereon such that all SAW sensors come into contact with ambient air drawn into the manifold by a pump, each SAW sensor driver board generating its own continuous RF signal which emits a frequency shift of the continuous RF signal if the particular chemical agent to which the SAW sensor has an affinity for detecting is loaded upon the SAW sensor of a particular SAW sensor driver board by the sample of ambient air in combination with all of the remaining limitations of the base claim.

Application/Control Number: 10/761,729

Art Unit: 2856

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 4

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel S. Larkin whose telephone number is 571-272-2198. The examiner can normally be reached on 8:00 AM - 5:00 PM Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hezron Williams can be reached on 571-272-2208. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Daniel Larkin AU 2856 18 March 2005

DANIEL S. LARKIN PRIMARY EXAMINER